

vetrospace


PARTHOS



ACOUSTIC PODS



Parthos Vetrospace is not just a phonebooth. It is a modular working space that grants you a peaceful and healthy environment for working. In Vetrospace you will inhale fresh and clean air.



What do you need? A moment of silence for a solo work session or an important call or a rejuvenating atmosphere for your next marathon meeting? Choose your space. You can find Parthos VetroSpace in offices, schools, hospitals etc.



WHY PARTHOS VETROSPACE

The best working conditions
for creativity, meetings and
important calls

**Ventilation in our spaces is
superb** - fresh air makes you
work better

Stay healthy - the photon
disinfection luminaire **light**
kills microbes, viruses and
other unhealthy particles.

The noises of your office,
public space or surrounding
environment **do not bother**
you in **Parthos Vetrospace**.

**You can set you preferable
temperature** - some of us like
it hot and some prefer it a bit
cooler

Make it your own - tell us
what kind of a space solution
you need?

LET THERE BE LIGHT

Parthos VetroSpaces are equipped with powerful and innovative photon disinfection luminaries. Say “bye bye” to harmful bacteria, sick leaves and expensive healthcare costs.

ANTiBAC

ANTiBAC is a flicker-free and energizing pure white light. Precisely controlled spectrum of ANTiBAC lights are scientifically tested and proven to restrict the growth of microbes.



WiSDOM AiR

WiSDOM AiR's blue disinfection lights destroys microbes. Innovative technology generates a powerful antimicrobial effect that is deadly for up to 99,9% of microbes. The light is non-ionizing, unlike UV and it has been tested by the Finnish radiation and nuclear safety authority [STUK 2017]







LET THE WIND BLOW

We need clean air to save us from fatigue and headaches. Intelligent Clean Air system filters 95 % of impurities and harmful particles from the air, including mold spores, construction dust, pollen, etc. The guarantee for quality of indoor air separates us from our competitors.

Intelligent Clean Air system reacts to carbon dioxide levels inside the VetroSpace and activates ventilation automatically. The ventilation of the VetroSpace spaces exceeds the requirements of EAN 16798-1 and ISO 17772-1 from 67 to 300% in each size class.





GroupSpace XXL is the ultimate space for dynamic meeting sessions of up to 10 people, so get the whole team in. For individual use you can run your business or department without obstruction or distraction, so feel free to stretch your legs.

Specs

Dimensions : W410 / D310 / H240 cm

Internal dimensions : W400 / D300 / H220 cm

Sound absorption STI : 0,03 - Ds: 32dB (Con. 43-46dB Rw Lab.)

Glasses : Sound control safety glass

Outside : White laminate **Option :** EcoFelt lining

Interior : Acoustic EcoFelt lining

Door : Sliding door (43db Rw). Side can be decided

Structure : Modular design, 5 options

Air Ventilation : 150 l/s

Lightning : WISDOM AIR, antibacterial lighting

Connections : 4 x fault current protected sockets

Options : USB charging + RJ45, motion sensor, radio

STI area

< 0,05

0,05-0,20

0,20-0,40

Speech coverage

Perfect

Good

Enough

Frame



RAL
9004
Black




RAL
9016
White



Your
RAL
Colour

Floor mat



Light
grey
506



Dark
grey
902

EcoFelt



Light
grey
953



Ghost
white
955



Dark
grey
923





Other
EcoFelt
colors

Structure



Groupspace XXL



GroupSpace XL is spacious enough for larger group meetings of up to 8 people or for a private office that comfortably contains a sofa, desk and chairs. Brainstorming sessions have never been so focused.

Specs

Dimensions : W310 / D310 / H240 cm

Internal dimensions : W300 / D300 / H220 cm

Sound absorption STI : 0,03 - Ds: 32dB (Con. 43-46dB Rw Lab.)

Glasses : Sound control safety glass

Outside : White laminate. **Option :** EcoFelt lining

Interior : Acoustic EcoFelt lining

Door : Sliding door (43db Rw). Side can be decided

Structure : Modular design, 5 options

Air Ventilation : 120 l/s

Lightning : WISDOM AIR, antibacterial lighting

Connections : 4 x fault current protected sockets

Options : USB charging + RJ45, motion sensor, radio

STI area

< 0,05

0,05-0,20

0,20-0,40


Speech coverage

Perfect


Good

Enough


Frame



RAL
9004
Black



RAL
9016
White



Your
RAL
Colour

Floor mat



Light
grey
506




Dark
grey
902

EcoFelt



Light
grey
953



Ghost
white
955





Dark
grey
923



Other
EcoFelt
colors

Structure





GroupSpace L is a large space that allows room for effective meetings for up to 6 people or a large private office for those that need a little extra furniture. Soundproof and spacious!

Specs

Dimensions : W310 / D210 / H240 cm

Internal dimensions : W300 / D200 / H220 cm

Sound absorption STI : 0,03 - Ds: 31,3dB (Con. 43-46dB Rw Lab.)

Glasses : Sound control safety glass

Outside : White laminate. **Option :** EcoFelt lining

Interior : Acoustic EcoFelt lining

Door : Sliding door (43db Rw). Side can be decided

Structure : Modular design, 5 options

Air Ventilation : 100 l/s

Lightning : WISDOM AIR, antibacterial lighting

Connections : 4 x fault current protected sockets

Options : USB charging + RJ45, motion sensor, radio

STI area

< 0,05

0,05-0,20

0,20-0,40


Speech coverage

Perfect


Good

Enough


Frame



RAL
9004
Black



RAL
9016
White



Your
RAL
Colour

Floor mat



Light
grey
506




Dark
grey
902

EcoFelt



Light
grey
953



Ghost
white
955



Dark
grey
923




Other
EcoFelt
colors

Structure






Clean air system
60 l/s



Electricity
Plug & Play



Acoustics
EcoFelt



Antibacterial
Light

GroupSpace M allows room for a private office or workstation for 1-2 people or a perfect meeting area suitable for up to 4. Privacy and functionality in one convenient space.


Specs

- Dimensions : W210 / D210 / H240 cm
- Internal dimensions : W200 / D200 / H220 cm
- Sound absorption STI : 0,03 - Ds: 31,3dB (Con. 43-46dB Rw Lab.)
- Glasses : Sound control safety glass
- Outside : White laminate. Option : EcoFelt lining
- Interior : Acoustic EcoFelt lining
- Door : Sliding door (43db Rw). Side can be decided
- Structure : Modular design, 5 options
- Air Ventilation : 60 l/s
- Lightning : WISDOM AIR, antibacterial lighting
- Connections : 4 x fault current protected sockets
- Options : USB charging + RJ45, motion sensor, radio


STI area	Speech coverage
----------	-----------------

< 0,05	Perfect
0,05-0,20	Good
0,20-0,40	Enough


Frame



RAL
9004
Black



RAL
9016
White



Your
RAL
Colour

Floor mat



Light
grey
506




Dark
grey
902

EcoFelt



Light
grey
953



Ghost
white
955





Dark
grey
923



Other
EcoFelt
colors

Structure





GroupSpace S is perfect for one-one-one meetings, private phone calls or quiet workstations. Its compact dimension mean is can be placed almost anywhere! Suitable for 1-2 people.

Specs

- Dimensions :** W210 / D110 / H240 cm
- Internal dimensions :** W200 / D100 / H220 cm
- Sound absorption STI :** 0,03 - Ds: 30,6dB (Con. 43-46dB Rw Lab.)
- Glasses :** Sound control safety glass
- Outside :** White laminate. **Option :** EcoFelt lining
- Interior :** Acoustic EcoFelt lining
- Door :** Sliding door (43db Rw). Side can be decided
- Structure :** Modular design, 5 options
- Air Ventilation :** 40 l/s
- Lightning :** WISDOM AIR, antibacterial lighting
- Connections :** 4 x fault current protected sockets
- Options :** USB charging + RJ45, motion sensor, radio

STI area	Speech coverage
< 0,05	Perfect
0,05-0,20	Good
0,20-0,40	Enough

Frame



RAL
9004
Black




RAL
9016
White



Your
RAL
Colour

Floor mat



Light
grey
506




Dark
grey
902

EcoFelt



Light
grey
953



Ghost
white
955



Dark
grey
923





Other
EcoFelt
colors

Structure



Standard Group



PhoneSpace is ideal for taking a phone call, participating in a conference call or working solo on your laptop. The ideal withdrawal space if floor space is limited and a great addition to any larger, open plan area.


Specs

- Dimensions :** W110 / D110 / H220 cm
- Internal dimensions :** W100 / D100 / H200 cm
- Sound absorption STI :** 0,08 - Ds: 26,5dB (39dB Rw Lab.)
- Glasses :** Sound control safety glass
- Door :** 90 cm hinged door. Side can be decided.
- Interior :** Acoustic EcoFelt lining
- Exterior :** Acoustic EcoFelt lining
- Table :** Included, height 100 cm
- Air Ventilation :** 20 l/s
- Lightning :** 15 WLED lighting 4000 K
- Connections :** Power socket, motion sensor
- Options :** USB charging + RJ45, radio


STI area Speech coverage

< 0,05	Perfect
0,05-0,20	Good
0,20-0,40	Enough


Frame



RAL
9004
Black



RAL
9016
White



Your
RAL
Colour

Floor mat



Light
grey
506



Dark
grey
902

EcoFelt



Light
grey
953



Ghost
white
955



Dark
grey
923





Other
EcoFelt
colors

Structure



Phonosepads



Express yourself in a phone or conference call in complete privacy and without distractions. Express installation due to quick and easy assembly design. Express delivery, sent out within a week of order. Express mobility, allows instant relocation on it's own wheels. The Phonespace Express, everything you need in a phone pod without compromise.

Specs

- Dimensions :** W110 / D100 / H225 cm
- Internal dimensions :** W90-80 / D90 / H210 cm
- Sound absorption STI :** 0,08 - Ds: 26,5dB (39dB Rw Lab.)
- Glasses :** Sound control safety glass
- Door :** +90 cm hinged door
- Interior :** Acoustic EcoFelt lining
- Exterior :** White laminate
- Table :** Included, height 100 cm
- Air Ventilation :** Continous and filtered, +20 l/s
- Lightning :** LED, 4000 K, motion sensor controlled
- Connections :** Power socket, dual USB sockets
- Move** easily, wheels included

STI area	Speech coverage
----------	-----------------

< 0,05	Perfect
0,05-0,20	Good
0,20-0,40	Enough

EXPRESS SPACE

Colours

Floor mat



Dark Grey
902

ECOfelt




Dark Grey
923

Laminate



White

Details



Veneer
Birch

PARTHOS PALACE

PARTHOS PRESIDENT

PARTHOS MONO / SPACERS

PARTHOS PHONIC / PROGRESS

PARTHOS XXL SLIDING WALLS

PARTHOS PATIO WALLS

PARTHOS INTERIOR CONTRACTING

PARTHOS METAL

PARTHOS CONSTRUCTION

PARTHOS INRAUMSYSTEME



Parthos BV
Industrieterrein 25,
5981 NK Panningen,
The Netherlands
Tel. +31 (0) 77 306 82 00
Fax +31 (0) 77 307 42 20
info@parthos.com
www.parthos.com

PARTHOS
designed
for space

PARTHOS

Parthos Inraumsysteme GmbH

Otto-Franke-Straße 10a, 06485 Quedlinburg, Deutschland
Tel. +49 (0) 39485 59410 Fax +49 (0) 39485 59450
info@parthosinraumsysteme.de www.parthosinraumsysteme.de

Parthos Belgium BVBA

Ringlaan 16, B-8501 Kortrijk-Heule, Belgium
Tel. +32 (0) 56 29 89 79 Fax +32 (0) 56 29 89 78
info@parthos.be www.parthos.be

Parthos France SARL

CIT de Roncq, 45 A Avenue de l'Europe, 59223 Roncq, France
Tel. +33 (0) 3 20 06 45 35 Fax +33 (0) 3 20 06 81 05
parthos@parthos.fr www.parthos.fr

Parthos Deutschland GmbH

Helmut-Grashoffstraße 20, 41179 Mönchengladbach, Germany
Tel. +49 (0) 2161-6397870 Fax +49 (0) 2161-6397879
info@parthos.de www.parthos.de

Parthos UK Ltd

1 The Quadrant, Howarth Road, Maidenhead, Berkshire SL6 1AP, England
Tel. +44 (0) 1628 773353 Fax +44 (0) 1628 773363
info@parthos.co.uk www.parthos.co.uk

Parthos Maroc

Lotis Alliance Darna, Lot nr 946, Kenitra, Maroc
Mobiel: 00212 619 85 65 41
a.qnanbi@parthos.com www.parthos.com

Parthos Mobile Wall Systems Co., Ltd. (factory)

building13, no.78 mild gucheng road, hi-tech development zone,
Kunshan city, Jiangsu province, 215300, China
Tel. +86 (0) 5125 7051816 Fax +86 (0) 5125 7051815
info@parthos.com.cn www.parthos.com.cn

Parthos (Thailand) Company Limited

19/36 Moo. 10, Klong Nueng Sub-District, Klong Luang District,
Pathumthani Province 12120, Thailand
Tel. +66 (0) 2 529 1446 7 Fax +66 (0) 2 529 1448
info@parthos.com www.parthos.com

Parthos Turkey

Koşuyolu Mh. Muhuttin Üstündağ Cd.
No:49 34718 Kadıköy / İstanbul - Türkiye
Tel. 90 212 635 77 10 Fax 90 212 532 60 74
h.kinaci@parthos.com www.parthos.com

Parthos Metal B.V.

Industrieterrein 117, 5981 NC, Panningen, The Netherlands,
Tel. +31 (0) 77 30 71 557
info@parthosmetal.com www.parthosmetal.com

Parthos Construction B.V.

Slootsekuilen 30, 5986 PG Beringe, The Netherlands
Tel. +31 (0) 77 30 68 200
info@parthosconstruction.com www.parthosconstruction.com



No rights can be derived from texts on this brochure.